

[First Hit](#)   [Previous Doc](#)   [Next Doc](#)   [Go to Doc#](#)

## End of Result Set

☐ [Generate Collection](#) [Print](#)

L14: Entry 35 of 35

File: DWPI

Jan 13, 1995

DERWENT-ACC-NO: 1995-085346

DERWENT-WEEK: 199512

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: Hyaluronidase inhibitor used as antiinflammatory and antiallergic agents - contains constituent of extract of leguminous plant(s) Acacia catechu, Albizia, lebbek, Uria picta Bauchinia forticata and/or Cajanus indicus

PATENT-ASSIGNEE:

ASSIGNEE

CODE

SUNTORY LTD

SUNR

PRIORITY-DATA: 1993JP-0155979 (May 24, 1993)

[Search Selected](#)[Search ALL](#)[Clear](#)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

☐ [JP 07010768 A](#)

January 13, 1995

006

A61K035/78

APPLICATION-DATA:

PUB-NO

APPL-DATE

APPL-NO

DESCRIPTOR

JP 07010768A

May 24, 1993

1993JP-0155979

INT-CL (IPC): A23L 1/30; A61K 7/06; A61K 7/26; A61K 7/48; A61K 35/78

ABSTRACTED-PUB-NO: JP 07010768A

BASIC-ABSTRACT:

Hyaluronidase inhibitor comprises active constituent of extract from at least one of Acacia catechu, Albizia lebbek, Uria picta, Bauchinia forticata, and Cajanus indicus.

USE/ADVANTAGE - The hyaluronidase inhibitor is used as anti-inflammation agent or anti-allergic agent to be used for material of food and cosmetic. The hyaluronidase inhibitor is indirectly effective on keeping moisture of skin, softness of skin, prevention of arterial sclerosis, and improvement of arthritis.

In an example, (1) 100 g of stem of Albizia lebbek was soaked in 1000 ml of 50 vol.% ethanol at room temp. for 7 days. Upper clear liquid was filtered. The extract liquid was condensed at reduced pressure, and dried to obtain 14.6 g of extract. (2) 100 g of seed of Uria picta was soaked in 1000 ml of 50 vol.% ethanol at room temp. for 7 days. Upper clear liquid was filtered. The extract liquid was condensed at reduced pressure, and dried to obtain 6.2 g of extract. (3)